

# THE BOTANICAL MAGAZINE TOKYO

VOL. 98 (1985)

Numbers 1049-1052, Pages 1-447

## EDITORIAL BOARD

- MITSUO CHIHARA : Editor-in-Chief, *Institute of Biological Sciences, University of Tsukuba, Sakura-mura, Niihari-gun, Ibaraki 305*
- KUNIO IWATSUKI : Editor, *Botanical Gardens, University of Tokyo, Hakusan, Bunkyo-ku, Tokyo 112*
- SATORU MURAKAMI : Editor, *Department of Biology, University of Tokyo, Komaba, Meguro-ku, Tokyo 153*
- 
- |   |  |
|---|--|
| SHIGERU IIZUMI, <i>Tohoku University</i>                    | ITARU TAKEBE, <i>Nagoya University</i>               |
| NARIYUKI ISHIKURA, <i>Kumamoto University</i>               | RYUSO TANAKA, <i>Hiroshima University</i>            |
| MASAYUKI KATSUMI, <i>International Christian University</i> | SHIGEYUKI TANIFUJI, <i>Hokkaido University</i>       |
| SHOICHI KAWANO, <i>Kyoto University</i>                     | MASAMITSU WADA, <i>Tokyo Metropolitan University</i> |
| ATSUSHI KOMAMINE, <i>Tohoku University</i>                  | KYOJI YODA, <i>Osaka City University</i>             |

THE BOTANICAL SOCIETY OF JAPAN



# CONTENTS

## THE BOTANICAL MAGAZINE, TOKYO

Vol. 98

### No. 1049 (March 1985)

KOIZUMI, H. AND Y. OSHIMA: Seasonal Changes in Photosynthesis of Four Understory Herbs in Deciduous Forests .....	1
MASUZAWA, T.: Ecological Studies on the Timberline of Mt. Fuji. I. Structure of Plant Community and Soil Development on the Timberline .....	15
KASAHARA, K.: On the Mucilage Canal and the Mucilage Gland in Two Species of <i>Laminaria</i> (Phaeophyceae, Laminariales) .....	29
INO, Y.: Comparative Study of the Effects of Temperature on Net Photosynthesis and Respiration in Lichens from the Antarctica and Subalpine Zones in Japan .....	41
SASAGO, A. AND T. SIBAOKA: Water Extrusion in the Trap Bladders of <i>Utricularia vulgaris</i> . I. A Possible Pathway of Water across the Bladder Wall .....	55
SUBRAMANIAN, R.B. AND J.A. INAMDAR: Occurrence, Structure, Ontogeny and Biology of Nectaries in <i>Kigelia pinnata</i> DC .....	67
YASUI, T., Y. TATEISHI AND H. OHASHI: Distribution of Low Molecular Weight Carbohydrates in the Subgenus <i>Ceratotropis</i> of the Genus <i>Vigna</i> (Leguminosae) .....	75
TSURUMI, S., Y. ASAHII AND S. SUDA: IAA-Induced Opening of Excised <i>Mimosa</i> Pulvinules .....	89

### No. 1050 (June 1985)

SATO, T.: Comparative Life History of Five Hokkaido <i>Polystichum</i> Ferns with Reference to Leaf Development in Relation to Altitudinal Distribution .....	99
SASAGO, A. AND T. SIBAOKA: Water Extrusion in the Trap Bladders of <i>Utricularia vulgaris</i> . II. A Possible Mechanism of Water Outflow .....	113
AGATA, W., S. HAKOYAMA AND Y. KAWAMITSU: Influence of Light Intensity, Temperature and Humidity on Photosynthesis and Transpiration of <i>Sasa nipponica</i> and <i>Arundinaria pygmaea</i> .....	125
AKIYAMA, S. AND H. OHBA: The Branching of the Inflorescence and Vegetative Shoot and Taxonomy of the Genus <i>Kummerowia</i> (Leguminosae) .....	137
FUJII, S., R. YAMAMOTO AND H. TAKADA: Glycerol Formation in <i>Dunaliella</i> Cells under Non-Growing Conditions with Hypertonic Lithium or Magnesium Media .....	151
MUTOH, N., M. KIMURA, Y. OSHIMA AND H. IWAKI: Species Diversity and Primary Productivity in <i>Miscanthus sinensis</i> Grasslands. 1. Diversity in Relation to Stand Structure and Dominance .....	159
TERAMOTO, S. AND N. ISHIKURA: The Formation of Catechin and Procyanidins in Cell Suspension Cultures of <i>Cryptomeria japonica</i> .....	171
TATEOKA, T.: A Taxonomic Study of the <i>Calamagrostis tashiroi</i> Group (Poaceae) .....	181
YAMAZAKI, Y.: Lazy Rice Gotten up with Tryptophan .....	193
JORDAN, L.S., J.L. JORDAN AND C.M. JORDAN: Comparison of <i>Dactyloctenium</i> Willd. and <i>Eleusine</i> Gaertn. Spermoderm Patterns .....	199

### No. 1051 (September 1985)

HASUNUMA, K.: Formation of Aerial Hyphae and Conidia under Orthophosphate-Limited Conditions in <i>Neurospora crassa</i> : Role of Repressible Cyclic Phosphodiesterase ..	203
HEGDE, R.R.: Differential Distribution of Ascorbic Acid and RNA in the Developing Anthers of <i>Datura stramonium</i> L. ....	219
OIKAWA, T.: Simulation of Forest Carbon Dynamics Based on a Dry-Matter Production	



Model. I. Fundamental Model Structure of a Tropical Rainforest Ecosystem ....	225
HOZUMI, K.: Phase Diagrammatic Approach to the Analysis of Growth Curve Using the <i>u-w</i> Diagram — Basic Aspects— .....	239
HARA, Y., I. INOUE AND M. CHIHARA: Morphology and Ultrastructure of <i>Olisthodiscus luteus</i> (Raphidophyceae) with Special Reference to the Taxonomy .....	251
UEDA, K., K. HATANO AND T. NOGUCHI: The Formation and Consumption of Lipid Droplets in the Zygote and Germinated Cells of <i>Closterium ehrenbergii</i> .....	263
RAJU, M.V.S.; Water Uptake and Splitting of Wild Oat Caryopsis .....	271
SAKAMOTO, S.: Cytogenetic Studies on an Intergeneric Hybrid between <i>Agropyron tsukushiense</i> and <i>Elymus mollis</i> .....	283
TOBE, H. AND R.C. KEATING: The Morphology and Anatomy of <i>Hydrastis</i> (Ranunculales): Systematic Reevaluation of the Genus .....	291

### No. 1052 (December 1985)

HATTORI, T. AND S. NAKANISHI: On the Distributional Limits of the Lucidophyllous Forest in the Japanese Archipelago .....	317
YOKOI, Y. AND A. KISHIDA: On the Relationship between Two Indices ("Bulk Density" and "Dry-Matter Content") of Dry-Matter Accumulation in Plant Organs .....	335
SUEHIRO, K., H. OGAWA AND K. HOZUMI: The Crowding Effect in an Artificially Mixed Population of Three Species .....	347
KATO, T.: Taxonomical Studies on the <i>Hypericum pseudopetiolatum</i> Complex. I. Geographical Differentiation in the Japan Archipelago .....	359
SATO, T.: Comparative Life History of Aspidiaceae Ferns in Northern Japan with Reference to Fertility during Sporophyte Development in Relation to Habitats .....	371
KOIZUMI, H.: Studies on the Life History of an Evergreen Herb, <i>Pyrola japonica</i> , Population on a Forest Floor in a Warm Temperate Region. 1. Growth, Net Production and Matter Economy .....	383
TAKEDA, T., O. UENO, M. SAMEJIMA AND T. OHTANI: An Investigation for the Occurrence of $C_4$ Photosynthesis in the Cyperaceae from Australia .....	393
TATEOKA, T.: Chromosome Numbers and Their Taxonomic Implications in the Genus <i>Poa</i> of Japan .....	413
ABE, T.: Effects of Osmotic Concentrations and IAA on the Rapid Shortening of the Cortex in the Main Pulvinus of <i>Mimosa pudica</i> .....	439

## AUTHOR INDEX

## THE BOTANICAL MAGAZINE, TOKYO

Vol. 98

ABE, T.	439	NAKANISHI, S.	317
AGATA, W.	125	NOGUCHI, T.	263
AKIYAMA, S.	137	OGAWA, H.	347
ASAHI, Y.	89	OHASHI, H.	75
CHIHARA, M.	251	OHBA, H.	137
FUJII, S.	151	OHTANI, T.	393
HAKOYAMA, S.	125	OIKAWA, T.	225
HARA, Y.	251	OSHIMA, Y.	1, 159
HASUNUMA, K.	203	RAJU, M.V.S.	271
HATANO, K.	263	SAKAMOTO, S.	283
HATTORI, T.	317	SAMEJIMA, M.	393
HEGDE, R.R.	219	SASAGO, A.	55, 113
HOZUMI, K.	239, 347	SATO, T.	99, 371
INAMDAR, J.A.	67	SIBAOKA, T.	55, 113
INO, Y.	41	SUBRAMANIAN, R.B.	67
INOUE, I.	251	SUDA, S.	89
ISHIKURA, N.	171	SUEHIRO, K.	347
IWAKI, H.	159	TAKADA, H.	151
JORDAN, C.M.	199	TAKEDA, T.	393
JORDAN, J.L.	199	TATEISHI, Y.	75
JORDAN, L.S.	199	TATEOKA, T.	181, 413
KASAHARA, K.	29	TERAMOTO, S.	171
KATO, T.	359	TOBE, H.	291
KAWAMITSU, Y.	125	TSURUMI, S.	89
KEATING, R.C.	291	UEDA, K.	263
KIMURA, M.	159	UENO, O.	393
KISHIDA, A.	335	YAMAMOTO, R.	151
KOIZUMI, H.	1, 383	YAMAZAKI, Y.	193
MASUZAWA, T.	15	YASUI, T.	75
MUTOH, N.	159	YOKOI, Y.	335

## Index of Key Words

- |                                     |         |   |     |
|-------------------------------------|---------|---|-----|
| <b>A</b>                            |         | Dominance                                 | 159 |
| Aerial hypae and conidial formation | 203     | Dry-matter content                        | 335 |
| <i>Agropyron</i>                    | 283     | Dry-matter economy                        | 335 |
| Air space                           | 335     | Dry-matter production                     | 225 |
| Aleurone cells                      | 271     | <i>Dunaliella bioculata</i>               | 151 |
| Alpine meadow                       | 15      | <i>Dunaliella tertiolecta</i>             | 151 |
| Altitudinal distribution            | 99      | Dwarf bamboo                              | 125 |
| Anatomy                             | 67      |   |     |
| Antarctica                          | 41      | <b>E</b>                                  |     |
| Apparent quantum yield              | 125     | <i>Eleusine</i>                           | 199 |
| <i>Arundinaria pygmaea</i>          | 125     | <i>Elymus</i>                             | 283 |
| Ascorbic acid                       | 219     | Evergreen herb                            | 383 |
| Aspidiaceae ferns                   | 371     | Extrafloral and floral nectaries          | 67  |
| <i>Aucuba japonica</i>              | 335     |   |     |
| Australia                           | 393     | <b>F</b>                                  |     |
| Auxin                               | 89      | <i>Fagus crenata</i> forest               | 317 |
| <i>Avena fatua</i> L.               | 271     | Fertility rate                            | 371 |
|                                     |         | Flora of Japan                            | 413 |
| <b>B</b>                            |         |   |     |
| Berberidaceae                       | 291     | <b>G</b>                                  |     |
| Bertalanffy function                | 239     | Genome analysis                           | 283 |
| Biology                             | 67      | Geographical differentiation              | 359 |
| Branching system                    | 137     | Geographical distribution                 | 393 |
| Bulk density                        | 335     | Geographical speciation                   | 181 |
| Bulk flow                           | 113     | Glycerol formation                        | 151 |
|                                     |         | Green alga                                | 263 |
| <b>C</b>                            |         | Growth                                    | 151 |
| C <sub>4</sub> species              | 393     | Growth curve                              | 239 |
| <i>Calamagrostis omibitoana</i>     | 181     |   |     |
| <i>Calamagrostis tashiroi</i>       | 181     | <b>H</b>                                  |     |
| 3', 5'-cAMP                         | 203     | Halotolerance                             | 151 |
| Carbon dynamics                     | 225     | <i>Heterosigma</i>                        | 251 |
| Carbon isotope ratio                | 393     | Hydrastidaceae                            | 291 |
| Caryopsis                           | 271     | <i>Hydrastis</i>                          | 291 |
| Cell suspension culture             | 171     | <i>Hypericum</i>                          | 359 |
| <i>Ceratotropis</i>                 | 75      | <i>Hypericum pseudopetiolatum</i> complex | 359 |
| Chemotaxonomy                       | 75      |   |     |
| Cl <sup>-</sup> -efflux             | 439     | <b>I</b>                                  |     |
| <i>Closterium</i>                   | 263     | IAA-induced hyperpolarization             | 439 |
| Coldness index                      | 317     | Inflorescence                             | 137 |
| Comparative life history            | 99, 371 | Initiation of fertility (IF)              | 371 |
| Crowding effects                    | 347     | Intergeneric hybrid                       | 283 |
| <i>Cryptomeria japonica</i>         | 171     |   |     |
| Cyperaceae                          | 393     | <b>K</b>                                  |     |
| Cytotaxonomy                        | 413     | <i>Kigelia pinnata</i>                    | 67  |
|                                     |         | Kranz anatomy                             | 393 |
| <b>D</b>                            |         | <i>Kummerowia</i>                         | 137 |
| <i>Dactyloctenium</i>               | 199     |   |     |
| <i>Datura</i> anther                | 219     | <b>L</b>                                  |     |
| Deciduous forest                    | 383     | <i>Laminaria</i>                          | 29  |
| Density conversion factor           | 347     | <i>Laminaria angustata</i>                | 29  |
| Distributional limits               | 317     | <i>Laminaria yezoensis</i>                | 29  |



<i>Larix leptolepis</i>	15	Reciprocal equation	347
Lazy character	193	Red tide flagellate	251
Leaf growth	1	Relative development age (RDA)	371
<i>Lespedeza</i>	137	Relative developmental stage	99
Lespedezinae	137	Repressible cyclic phosphodiesterase	203
Lichen	41	Reserve material	335
Light condition	1	Reserve substance	383
Lipid droplet	263	Respiration	1, 41
Low molecular weight carbohydrates	75	Richards function	239
Lucidophyllous forest	317	RNA	219
<b>M</b>		<b>S</b>	
Maximum NV	99	<i>Sasa nipponica</i>	125
Membrane potential	439	Sea wind	317
Microcomputer model	225	Secretory cell	29
<i>Mimosa pudica</i>	89, 439	Seeds	75
<i>Miscanthus sinensis</i>	159	SEM	199
Morphological variation	359	Semispecies	181
Mt. Fuji	15	Soil development	15
Mucilage canal	29	Species aggregate	413
Mucilage gland	29	Species diversity	159
<b>N</b>		Spermoderm patterns	199
Net production	383	Subalpine zone	41
<b>O</b>		<b>T</b>	
<i>Olisthodiscus luteus</i>	251	Taxonomy of <i>Olisthodiscus</i>	251
<i>Oryza sativa</i>	193	Taxonomy of <i>Poa</i>	413
Osmotic potential	439	Temperature adaptation	41
<b>P</b>		The law of constant final yield	225
Pathway of water	55	Three-species mixture	347
Perennial herbs	15	Timberline	15
Phase diagram	239	Transpiration	125
Phenomenological convergence	371	Trap bladder	55, 113
Phenylalanine ammonialyase (PAL)	171	Trap resetting	55, 113
Phosphorus deficiency	203	Tropical rainforest	225
Photosynthesis	1, 41, 125	Tryptophan	193
Phytomass	159	<b>U</b>	
Plant morphology	291	Ultrastructure of <i>Olisthodiscus</i>	251
Polyploidy	413	Understory herb	1
<i>Polystichum</i>	99	<i>Utricularia vulgaris</i>	55, 113
Precipitation	317	<i>u-w</i> Diagram	239
Procyanidins	171	<b>V</b>	
Productivity	159	<i>Vigna</i>	75
Pulvinule opening	89	<b>W</b>	
<i>Pyrola japonica</i> Klenze	383	Water and solute transport	113
<b>R</b>		Water extrusion	55
Ranunculaceae	291	Water uptake	271
Ranunculales	291	<b>Z</b>	
Raphidophyceae	251	Zygote formation	263
Rapid shortening	439		

## Acknowledgement to Reviewers for Vol. 98

The Editorial Board is grateful to the following reviewers for their cooperation in examining the manuscripts submitted to the Botanical Magazine, Tokyo, Vol. 98.

K. FUJII	Y. MOROHASHI
I. FUKUDA	Y. NAKAMURA
N. HARA	T. NIITSU
S. HATANAKA	M. NISHIDA
T. HAYASHI	I. NISHIYAMA
T. HIROSE	Y. NISHIZAKI
K. HOZUMI	H. OHASHI
T. ICHIMURA	H. OHBA
K. ISHIZUKA	T. SAEKI
H. IWAKI	M. SAITO
S. KAMISAKA	S. SATO
H. KANAI	T. SHIMMEN
R. KANAI	K. SYONO
M. KATO	M. TAMURA
T. KATSUMATA	T. TATEOKA
M. KIMURA	E. TERAMOTO
S. KUROIWA	H. TOBE
T. KUROIWA	K. UEDA
Y. MAEDA	I. UNO
M. MASUDA	T. YAHARA
H. MIKI	K. YANAGISAWA
T. MINAMIKAWA	Y. YOKOI
M. MONSI	S. YOSHIDA



## INSTRUCTIONS TO AUTHORS (Revised October, 1985)

1. The Botanical Magazine, Tokyo is an international journal dedicated to the dissemination of fundamental knowledge in all areas of plant sciences. Only original papers, including short communications, and invited review articles in English will be considered. Short communications should contain important new information and will be published in the earliest possible issue. Manuscripts are accepted for review with the understanding that the same work has not been and will not be published nor is presently being submitted elsewhere and that all persons listed as authors have given their approval for the submission of the paper. By submitting a manuscript, the authors agree that the copyright for their article will be transferred to the Botanical Society of Japan if and when the article is accepted for publication. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform and other reproductions of similar nature, and translations.
2. Manuscripts should be written in clear, concise and grammatical English. In addition to the original typewritten manuscript, two copies each of text material, tables and figures should be submitted. Photographic figures must be submitted in triplicate. Authors who are uncertain about proper English usage should have their manuscripts checked prior to submission by someone proficient in the English language.
3. Full papers are limited to 16 printed pages in length including tables, figures and abstract. Short communications are limited to four printed pages. With the approval of the Editorial Board, additional pages can be published only at the author's expense (2,000 yen per page).
4. If none of the authors is a member of the Botanical Society of Japan, the authors must agree to pay a charge of 2,000 yen for each printed page. In this case, the manuscript, if accepted, will be published only after commitment to pay the charge by the authors or the financial officer of their institution.
5. Preparation of Manuscript Copy :
  - A. Double-space everything. Use good-quality paper of 28×21 cm or A4 size. Each typewritten page usually consists of 25 lines, each line having approximately 65 characters (two and half typewritten pages should be approximately equivalent to one printed page).
  - B. Arrange the manuscript copy in the order listed below and number all pages consecutively, including tables and figures, in the upper right-hand corner. In addition, indicate the following items on a separate cover sheet: (1) name and address for mailing galley proofs, (2) running title with less than 40 characters, and (3) the number of tables and figures.
    - a. Title of the paper, authors' names and institutions and footnotes (abbreviations, symbols, etc.)
    - b. Abstract: This should be a lucid digest of the paper, not exceeding 200 words for a full paper, less than 50 words for a short communication.
    - c. Key words: Alphabetically arrange less than 6 words or phrases which identify the most important subjects covered by the paper.
    - d. Text: Preparation of the text with the headings of Introduction, Materials and Methods, Results, and Discussion is suggested. Short communications should follow the style of full papers, but the headings should be omitted.
    - e. References cited: References cited in the text should be arranged alphabetically according to author on a separate sheet. Each reference should be given in the following order: (1) authors' names, (2) year of publication, (3) title of the

paper, (4) name of the journal (or book), (5) volume and page. Draw a wavy line under the volume number. For a single book, the name of the publisher and its location should be indicated.

Examples :

Bascham, J.A. and M. Calvin. 1957. The Path of Carbon in Photosynthesis. Prentice-Hall, Englewood Cliffs, New Jersey.

Esau, E. 1945. Vascularization of the vegetative shoots in *Helianthus* and *Sambucus*. Amer. J. Bot. 32: 18-29.

Torrey, J.Q. 1965. Physiological bases of organization and development in the root. In: A. Lang, ed., Encyclopedia of Plant Physiology, vol. xv/1: 1256-1327, Springer-Verlag, Berlin.

- f. Tables : In addition to the heading, a lucid legend to explain the meaning of the content without requiring reference to the text should be included above the table. With the approval of the Editorial Board, the folders of tables can be published only at the authors' expense.
  - g. Legends for figures and plates : In addition to the heading, a lucid legend should explain the meaning of the figure without requiring reference to the text. These legends should be grouped on a separate sheet.
  - h. Figures and plates : Plates submitted should be of a size less than  $27 \times 18$  cm. On the back of each figure or plate, indicate the authors' names, the number of the figure and its orientation. If a scale is necessary for the plate, it should be indicated. With the approval of the Editorial Board, colored illustrations can be published only at the authors' expense.
- C. Text references should be made using the authors' names (for three or more authors use Doe *et al.*) followed by the year of publication.

Example :

Hall and Cocking (1966) reported that ———, ——— (Hall and Cocking, 1966).

- D. The place of insertion of tables and/or figures in the text should be indicated on the right-hand margin of the sheet.
  - E. Units of measurement should be of the metric system. Use Arabic numerals. For the use of Latin names, consult the International Code of Botanical Nomenclature.
6. Manuscripts not conforming to the aforementioned rules will be returned to the authors.
7. Whether or not the manuscript is accepted, amendment of the manuscript and the order of publication are to be decided by the Editorial Board.
8. Galley proofs will be sent directly from the printing company to the person designated. The authors are responsible for reading the first galley proof. No change of the content of the manuscript is permitted on the galley proof. If the Editorial Board recognizes the necessity for a change, this change will be made at the authors' expense.
9. The authors will receive free of charge 50 offprints without covers. Additional copies and covers can be obtained at cost.
10. All manuscripts should be sent by registered mail to the following address :
- Editorial Office  
The Botanical Society of Japan  
Toshin Building  
Hongo 2-27-2, Bunkyo-ku, Tokyo 113, Japan
11. The manuscripts of the papers published will not be returned to the authors. However, figures and plates will be returned upon request by the authors after the paper has been published.